



Dimensions for swingarms, forks etc.

compiled by me and other sites (e.g. www.fighters-forum.de)

I got several mails that probably don't fit I cannot check everything.

So no guarantee.

Brake discs

Manufacturer / model / year of construction	outer diameter	Inside diameter	Bolt circle	No. Holes	Offset	floating / firm
Aprilia	---	---	---	---	---	---
RSV MILLE(R) (97-03)	320	64,2	80	6	10	floating
Honda	---	---	---	---	---	---
CBR 900 SC28 (92-95)	296	62,2	78	6	17,2	floating
CBR 900 SC33 (96-97)	296	58,2	74	6	17,2	floating
CBR 900 SC33 (98-99)	310	62,2	78	6	21,1	floating
CBR 900 SC44 (00-01)	330	94,3	110	6	12,5	floating
CBR 900 SC50 (02-03)	330	94,3	110	6	12,5	floating
CBR 1000 SC57 (04-05)	310	94,2	110	6	12,75	Abst: 133 inside
CBR 1000 SC57 (06-07)	320	94,2	110	6	12,5	Abst: 133 inside
CBR 1000 SC59 (08-15)	320	94,2	110	6	14,75	floating
VTR 1000 SC45 (00-06)	320	94,3	110	6	12,5	floating
Kawasaki	---	---	---	---	---	---
Z1000 (03-06)	300	61,2	81,2	5	13,5	floating
Z1000 (07-09)	300	80	100	5	---	floating
ZX-6R (98-02)	300	61,2	81,2	5	13,4	floating
ZX-6R (03-04)	280	80,4	100	5	---	floating
ZX-6R (05-14)	300	80	100	5	---	floating
ZX-10R (04-07)	300	80	100	5	---	Abst: 130 inside
ZX-12 R (00-03)	320	61,2	81,2	5	13,1	floating
ZX-12 R (04-06)	300	61,2	81,2	5	13,5	floating
ZRX 1100/1200 (97-06)	310	61,2	81,2	5	13,25	floating
KTM	---	---	---	---	---	---
990 Super Duke (05-06)	320	64,2	80	6	9,65	floating
Suzuki	---	---	---	---	---	---
GSX-R 750 (85-95)	310	64,2	86,5	5	22,3	floating
GSX-R 750 (96-03)	320	69,2	91	5	---	Abst: 128 inside

GSX-R 750 K4-K5 (04-05)	300	69	91	5	---	floating
GSX-R 750 K6-K7(06-07)	310	100,2	120	5	---	floating
GSX-R 750 (08-14)	310	102,2	120	6	---	floating
GSX-R 1000 K1/K2 (01-02)	320	69,2	91	5	19	Abst: 128 inside
GSX-R 1000 K3/K4 (03-04)	300	69,2	91	5	19	Abst: 137 outside
GSX-R 1000 K5-K8 (05-08)	310	100,2	120	5	19	Abst: 137.5 outside
GSX-R 1000 K9-L2 (09-12)	310	102	120	6	19	floating
GSX-R 1100 (90-92)	310	64,2	86	5	22,3	floating
GSX-R 1100W (93-96)	310	64,2	86	5	22,3	floating
GSF 1200 (96-05)	310	64,2	86	5	19	floating
GSX-R 1300 Hayabusa (99-07)	320	69,2	91	5	---	floating
GSX-R 1300 Hayabusa (08 -...)	310	121,3	142	5	---	floating
GSX 1400 (02-07)	320	69,2	91	5	---	floating
YAMAHA	---	---	---	---	---	---
YZF 750 R/SP 4HN (93-98)	320	64,2	80	6	9,65	floating
FZR 1000 2LA (87-88)	320	64,2	80	6	9,65	floating
FZR 1000 3LE (89-93)	320	64,2	80	6	9,65	floating
FZR 1000 3LE (94-95)	320	64,2	80	6	9,65	floating
YZF 1000 R (96-03)	298	132,2	150	6	---	floating
YZF R1 RN01 (98-99)	298	132,2	150	6	---	floating
YZF R1 RN04 (00-01)	298	132,2	150	6	---	floating
YZF R1 RN09 (02-03)	298	132,2	150	6	---	floating
YZF R1 RN12 (04-06)	320	132,2	150	5	---	floating
YZF R1 RN19 (07-08)	310	132,2	150	5	---	Abst: 127.5 inside
YZF R1 RN22 (09-14)	310	132,3	150	5	---	Abst: 127.5 inside
XJR 1200 4PU (95-98)	320	64,2	80	6	9,65	floating
XJR 1300 4PU (99-12)	298	132,2	150	6	---	floating
FZS 1000 Make (01-05)	298	132,2	150	6	---	floating
FZ1 (06-14)	320	132,2	150	5	---	floating

Forks

Manufacturer / model / year of construction	Clamping o / u	Long	Gauge	Offset	Brake mount	AchseØ
Aprilia	---	---	---	---	---	---
RSV MILLE(R) (97-03)	53/53		205	35		AchseØ
RSV MILLE(R) (04-05)	53/53	760	205	34	65a	AchseØ

SL 1000 FALCO (00-...)	53/53		205	35		AchseØ
Buell	---	---	---	---	---	---
M1	---	700	---	---	---	---
M2	---	730	---	---	---	---
XB9R Firebolt (02-05)	54/54	700	194			
XB12R Firebolt (04-05)	56/54	750	190			
1125 CR (07-09)	54/56	715	190			
Ducati	---	---	---		---	
750 SS (91-97)	50/54	730			40a	
Monster 600 (--)	53/54	765			65a	
Monster 695 M4 (06-07)	50/54	740			65a	
Monster S2R (05-07)	50/54	720			65a	30
Monster S4 (01-05)	50/54	695	205	30		
ST4 (98-03)	50/54	725	205	30	65a	25
ST4 S (98-03)	50/54	750	205	30	65a	
1098S (09-11)	53/56	720			100r	
Sport 1000 / GT1000 (06-10)	50/54	700				
Honda	---	---	---	---	---	---
CBR 600 PC35 (01)	43/43	750	204	32,5	63a	20
CBR 600 PC37 (05-06)	---		204	32,5	108r	22
CBR 900 SC28 / 33 (92-97)	45/45		204	35	62a	20
CBR 900 SC33 (98-99)	45/45		214	30	62a	20
CBR 900RR SC44 (00-01)	50/54	720	214	30	62a	25
CBR 900RR SC50 (02-03)	50/54	720	214	30	62a	25
CBR 1000RR SC57 (04-07)	50/54	710	214	25	108r	25
CBR 1000RR SC59 (08-12)	50/...	710	204	27,5	108r	25
Kawasaki	---	---	---	---	---	---
ZXR400	50/52	715	210	---	63a	20
ZX-6R (95-97)	41/41	758	200	36,5	62a	20
ZX-636B (03-04)	50/...		210	25		
ZX-636C (05-06)	50/52	740	210	26	108r	
ZX-6R (09-12) BPF	51/53	735	---	--	108r	25
ZX-600P (07-08)	50/52	740	---	---	108r	
ZXR750 J/K/L (91-95)	52/52,5	733	210	35	63a	32
ZX-7R (96-03)	52/56	725	210	35	90a	25
ZX-9R (94-95)	52/52,5	775	210	35	63a	25
ZX-9R (96-97)	52/52,5	775	210	35	90a	25
ZX-10R (04-05)	50/54	730	210	26	108r	20
ZX-10R (06-07)	50/54	730	210	27,5	108r	25
ZX-10R (08-10)	50/54	Long	210	26	108r	25
ZX-10R (11-...) BPF	50/55	740	---	--	108r	25
ZX-12R (99-02)	52/56	740	215	32		25
ZZR 1400	50/54	742	215	---	108r	25
Z1000 (03-06)	50/52		210	27,25		
Z1000 (07-09)	50/52		210	27,25		
KTM	---	---	---	---	---	---
990 Super Duke (05-06)	54/60	755	---	---	65a	---
Suzuki	---	---	---	---	---	---
GSF 400 Bandit (92-95)	41/41	820				17

GSF 600 Bandit (95-03)	41/41				90a	17
GSF 1200 Bandit (98-01)	43/43	760	200	37	90a	20
GSX 600 F (89-96)	41/41					20
GSX 600 F (96-01)	41/41					20
RF 600 (93-96)	41/41					17
SV 650 (99-02)	41/41		205	28		17
GSX-R 400 (90-99)	50/52					20
GSX-R 600 SRAD (97-00)	45/45		214	32		25
GSX-R 600 K1-K3(01-03)	45/45		207	32		
GSX-R 600 K4-K5 (04-05)	50/54	720	207	30	108r	
GSX-R 600 K6-K9 (06-07)	50/53	738	207	30	108r	
GSX-R 750 (85-87)	41/41					
GSX-R 750 (88)	43/43		205	35		
GSX-R 750 (89-90)	41/41	735			90	20
GSX-R 750 (90-91)	50/54	740	214	35	90a	20
GSX-R 750 W (92-95)	50/54	740	214	35	90a	20
GSX-R 750 SRAD (96-00)	50/54	730	214	30	90a	25
GSX-R 750 K1-K3 (00-03)	50/54	720	207	32	63a	
GSX-R 750 K4 (04-05)	50/54	720	207	30	108r	
GSX-R 750 K6-K8 (06-07)	50/53	738	207	30	108r	
GSX-R 1000 K1-K2 (00-02)	50/54	720	207	32	62	25
GSX-R 1000 K3-K4 (03-04)	50/54	720	207	32	108r	
GSX-R 1000 K5-K6 (05-06)	50/54	720	207	30	108r	25
GSX-R 1000 K7-K8 (07-08)	50/56	720	207	28	108r	25
GSX-R 1000 K9-K10 (09-...)	50/55		207	28	108r	
GSX-R 1100 (86-88)	41/41	748			90a	
GSX-R 1100 (89)	41/41	780			90a	20
GSX-R 1100 (90-92)	52/56	735			90a	20
GSX-R 1100 W (93-94)	52/56	775	214	35	90a	20
GSX-R 1100 W (95-96)	50/55	765			90a	20
GSX-R 1300 Hayabusa (99-07)	50/55	725	214	32	90a	25
GSX-R 1300 Hayabusa (08-...)	50/55	725	214	31	108r	25
TL 1000 S (97-00)	50/55	732	214	32	90a	
TL 1000 R	50/55	717	214	32		
Triumph	---	---	---	---	---	---
Street Triple R (09)	50/52	725			108r	
Speed Triple 1050 (05-07)					108r	
Speed Triple 1050 (08-12)					100r	
Yamaha	---	---	---	---	---	---
YZF R6 RJ03 (98-02)	43/43		205	40	100a	22
YZF R6 RJ05 (03) / RJ09 (04)	43/43		205	35	100a	22
YZF R6 RJ09 (05-06)	50/52	790	210	35	108r	22
YZF R6 RJ11 (06-07)	50/52	735	210	30	108r	
YZF R6 RJ15 (08-10)	50/52		210	30	108r	
YZF R6 RJ21 (11 -...)					108r	
SZR 660	50/53	760	200	35	40a	17

YZF 750R/SP 4HN (93-94)	50/56	755	210	30	100a	22
YZF 750R/SP 4HN (95-98)	50/56	755	210	30	100a	20
FZR 1000 3LE (91-93)	50/54	770	220	30	100a	17
FZR 1000 3LE (94-96)	50/54	770	220	30	100a	22
YZF R1 RN01 (98-99)	50/54	735	210	35	100a	22
YZF R1 RN04 (00-01)	50/54	735	210	35	100a	22
YZF R1 RN09 (02-03)	50/54	735	210	25	100a	22
YZF R1 RN12 (04-06)	50/54	730	210	30	108r	22
YZF R1 RN19/22 (07-...)	50/54	730	210	25	130r	22
FZ1 Make RN16 (06 -...)	50/54	790			100a	22

Swing

Aprilia	Installation width front / Ø axis	Installation width rear / Ø axis	Axis - axis
RSV MILLE (05)	265 (20)	260(25)	525-555
Benelli			
TNT 1130	235 (25)	255(28)	570
Honda			
CBR 600 PC 35	259 (20)	256 (20)	540
CBR 600 PC 40	266 (20)	256 (25)	---
VFR 750 RC36 I (90-93)	237	---	570
VFR 750 RC36 II (94-97)	225	---	570
VFR 800 RC46 (98-10)	275	---	---
CBR 900 SC28 (92-95)	260	---	---
CBR 900 SC33 (96-99)	260	257 (20)	520-540
CBR 900 SC44 (00-01)	---	---	---
CBR 954 SC50 (02-03)	---	---	---
CBR 1000 SC57 (04-07)	---	---	---
CBR 1000 SC59 (08-)	---	---	---
CBR 1100 XX (06)	253 (20)	272 (20)	535
CB 900 Hornet	ca250 (20)	ca260(20)	---
Kawasaki			
ZX6R (02)	233(20)	260(25)	552
ZX6R 636B (03-04)	237 (20)	264 (25)	560
ZX6R 636C (05-06)	237 (20)	248 (25)	560
ZXR 750 H2 (90)	256 (20)	260 (20)	535-560
ZX 12 R	270 (25)	272 (28)	600
Z 1000 (03-06)	256(25)	256 (25)	575
Z 1000 (07-09)	262 mm with bearing and without 255 mm (-)	248 (-)	636
Suzuki			
SV 650 (99-02)	226(20)	226(17)	550
GSX-R 600 K1-K3	232 (25)	260 (28)	550
GSX-R 750 (85-87)	232	---	---
GSX-R 750 (88-89)	232 (20)	240 (20)	550
GSX-R 750 (90-91)	232 (20)	240 (20)	550

GSX-R 750 (92-93)	232 (20)	240 (20)	550
GSX-R 750 (94-95)	232 (25)	240 (25)	550
GSX-R 750 SRAD (96-99)	232 (25)	265 (28)	550
GSX-R 750 (00)	232 (--)	-28	542
GSX-R 750 K1-K4 (01-04)	232 (25)	260(28)	550
GSX-R 1000 K1 (2001)	232	-28	---
GSX-R 1000 K2 (2002)	232 (25)	-28	---
GSX-R 1000 K3 (2003)	232	---	---
GSX-R 1000 K4 (2004)	232 (25)	265 (28)	540
GSX-R 1000 K9 (2009)	232 (22)	260 (28)	595
GSX-R 1100 (86-88) GU74	237 (16)	241 (20)	560-590
GSX-R 1100 (89-90)	232	240 (20)	600
GSX-R 1100 (90-92)	232 (20)	240 (20)	600
GSX-R 1100 (93-94)	232 (20)	240 (20)	600
GSX-R 1100 (95-96)	232 (25)	250 (25)	600
GSX-R 1300 (08 -...) WVCK (95-96)	232 (25)	262 (28)	555-580
GSF 1200 (95-01) GV75A	220 (20)	250 (20)	550
GSF 1200 (01-05) WVA9	220 (20)	252 (20)	535-560
GSF 1200 (06)/GSF 1250 (07-...)	220 (20)	252 (28)	600
GSX 750 ae	236 (20)	262 (20)	560
TL1000S (97-00)	232 (25)	263 (28)	530
Triumph			
Sprint ST 1050 (07)	283 (25)	--- (--)	495
Yamaha			
FZ6 RJ07 (04-06)	263 (20)	262 (20)	560
YZF R6 RJ03 (98-02)	258 (20)	250 (28)	580
YZF R6 RJ05/RJ09 (03-05)	249 (20)	240 (28)	580
YZF 750 R/SP 4HN (93-94)	250 (20)	-28	550
YZF 750 R/SP 4HN (95-98)	250 (20)	-28	550
YZF 1000 R Thunderace 4VD (96-03)	213 (20)	-28	550
YZF R1 RN01 (98-99)	262 (20)	244 (28)	575-600
YZF R1 RN04 (00-01)	262 (20)	244 (28)	575-600
YZF R1 RN09 (02-03)	262 (20)	244 (28)	575-600
YZF R1 RN12 (04-05)	262 (22)	247 (25)	590
YZF R1 RN12 (06)	262 (22)	247 (25)	610
YZF R1 RN19 (07-08)	262 (22)	247 (25)	550
YZF R1 RN22 (09-13)	--- (--)	-28	---
FZR 1000 2LA (86-88)	213 (20)	-20	550
FZR 1000 3LE (89-90)	252 (20)	268 (20)	550
FZR 1000 3LE (91-96)	252 (20)	268 (20)	550
FZS1000 DO RN06 (01-06)	255(20)	268 (28)	580-605
FZ1 RN16 (06-07)	315 (20)	278 (28)	650
XJR 1200/1300	255 (20)	268 (20)	560

Bell crank:

the shorter the lever, the steeper the rear!

GSXR 750 Bj.88-91	Length: 190mm	Bore: 14mm	With lift kit 185mm
GSF 600 Cult	Length: 176mm		170mm (40mm)
GSF 1200 Cult	Length: 180mm		172mm (35mm)
GSF 600 Pop	Length: 176mm		170mm (40mm)
GSF 1200 Pop	Length: 180mm		172mm (35mm)
GSF 650 Neo	Length: 174mm		168mm (40mm)
GSF 400	Length: 200mm		
GSX1300 Hayabusa	Length: 120mm		110mm (35mm)

Struts

Explanations for the Info column:

UML - with redirection

DIR - directly linked shock absorber

BDIR container directly on the shock absorber

BEXT - external container (with hose)

OBEH - without container

Stereo - self-explanatory

Manufacturer / model / year of construction	Länge (Bohrung-Bohrung)	Einbaumaße oben	Einbaumaße unten	Info
Aprilia	---	---	---	---
RSV 1000 Mille (98-03)	330	Ø10/--/-	Ø10/--/-	---
SL 1000 Falco (00-05)	315	Ø10/--/-	Ø10/--/-	---
BMW	---	---	---	---
S 1000 RR (11-14)	320	Ø10/--/-	Ø10/--/-	UML,BDIR
Honda	---	---	---	---
CB600F Hornet (98-01)	305	Ø10/--/A	Ø10/32/G	DIR,OBEH
CB600F Hornet (02-06)	305	Ø10/--/A	Ø10/30/G	DIR,OBEH
CB900F Hornet (02-06)	290	Ø10/--/A	Ø10/--/A	DIR,BEXT
VFR 750 RC 36 I (90-93)	350	Ø 10/28/A	Ø10/32/G	UML,OBEH
VFR 750 RC 36 II (94-99)	320	Ø 10/28/A	Ø10/38/G	UML,OBEH
VFR 800 FI RC46(98-01)	325	Ø10/28/A	Ø10/39/A	UML,OBEH
VFR 800 F RC46(02-05)	317.5	Ø10/28/A	Ø10/39/A	UML,OBEH
CBR 900 RR SC28(92-95)	319 (+12/-0)	Ø10/29/A	Ø10/39/A	UML,BEXT
CBR 900 RR SC33(96-97)	305 (+12/-0)	Ø10/29/A	Ø10/39/A	UML,BEXT
CBR 900 RR SC33(98-99)	303 (+12/-0)	Ø10/29/A	Ø10/39/A	UML,BEXT
CBR 900 RR SC44(00-01)	286 (+4/-2)	Ø10/29/A	Ø10/39/A	UML,BDIR
CBR 900 RR SC50(02-03)	288 (+2/-4)	Ø10/29/A	Ø10/39/A	UML,BDIR

CBR 1000 RR SC57(04-06)	314 (+6/-0)	Ø10/26/A	Ø10/30/G	UML,BDIR
CBR 1000 RR SC59(08-10)	305	Ø10/26/A	Ø10/39/A	UML,BDIR
CB 1000 R SC60(08-09)	310	Ø10/28/A	Ø10/39/A	Info
VTR 1000 F SC36 (97-05)	346	Ø10/28/A	Ø10/39/A	UML,OBEH
VTR 1000 SP1/SP2 (00-05)	326 (+10/-2)	Ø10/28/A	Ø10/30/G	Info
CBR 1100 XX (97-05)	319	Ø10/28/A	Ø10/39/A	UML,OBEH
Kawasaki	---	---	---	---
ZX6R/RR (03-04)	340 (+12/-0)	Ø 10/30 A	Ø10/30 G	UML,BDIR
ZX6R (05)	335.5 (+12/-0)	Ø 10/30 A	Ø10/30 G	Info
ZX6RR (05-06)	330 (+12/-0)	Ø 10/30 A	Ø10 /30 G	UML,BDIR
ZX6RR (07-08)	335	Ø 10/30 A	Ø10 /30 G	UML,BDIR
ZX6RR (09-10)	335	Ø 10/30 A	Ø10 /30 G	UML,BDIR
ZX7R (96-01)	350 (+12/-0)	Ø12/30/A	Ø12/32/G	UML,BDIR
Z750/S (04-06)	330	Ø 10/33 A	Ø10/30G	UML,OBEH
Z750/S (07-10)	335	Ø 10/30 A	Ø10/30G	UML,OBEH
ZX9R (94-97)	348 (+12/-0)	Ø12/30/A	Ø12/32/G	UML,BDIR
ZX9R (98-99)	330 (+12/-0)	Ø10/30/A	Ø10/32/G	Info
ZX9R (00-01)	338	Ø10/30/A	Ø10/32/G	UML,BDIR
ZX9R (02-03)	338.5	Ø10/30/A	Ø10/32/G	UML,BDIR
Z1000 (03-06)	335	Ø10/32,5/A	Ø10/30/G	UML,BDIR
Z1000 (07-09)	335	Ø10/32,5/A	Ø10/30/G	UML,BDIR
ZX10 (88-89)	314.5	Ø12/28/A	Ø12/40/G	Info
ZX10R (04-05)	338 (+7/-5)	Ø 10/30 A	Ø10/30G	UML,BDIR
ZX10R (06-07)	338 (+7/-5)	Ø 10/30 A	Ø10/30G	UML,BDIR
ZX10R (08-10)	338 (+7/-5)	Ø 10/30 A	Ø10/30G	UML,BDIR
ZX12R (00-05)	338 (+7/-5)	Ø10/30/A	Ø--/30/G	UML,BDIR
ZRX 1100 (97-01)	365	Ø 14/20/A	Ø10/20/A	STEREO
ZRX 1200 (01-07)	365	Ø14/2/A	Ø10/20/A	STEREO
Suzuki	---	---	---	---
RF900 GT73B 94-99	315	Ø10/---/A	Ø10/30/G	UML,BEXT
GSF 600 Bandit GN77B (95-99)	300	Ø10/30/A	Ø10/30/G	UML,OBEH
GSF 600 Bandit (00-04)	315	Ø10/30/A	Ø10/30/G	UML,OBEH
GSF 650 Bandit (05-07)	320	Ø10/30/A	Ø10/30/G	UML,OBEH
GSF 1200 Bandit(96-00)	305	Ø10/30/A	Ø10/30/G	UML,OBEH
GSF 1200 Bandit (01-05)	325 (+6/-0)	Ø10/30/A	Ø10/30/G	UML,OBEH
GSXR 600 (92-93)	312 (+12/-0)	Ø oben	Øunten	Info
GSXR 600 (01-03)	325.5 (+6/-0)	Ø10/30/A	Ø10/30/G	Info
GSXR 600 (04-05)	332.5 (+6/-0)	Ø10/30/A	Ø10/30/G	Info
GSXR 750 (85-87)	290.5	Ø10/30/A	Ø10/22/A	Info
GSXR 750 (88-91)	312 (+12/-0)	Ø10/30/A	Ø10/30/G	Info
GSXR 750 (92-95)	312 (+12/-0)	Ø 10/30/A	Ø10/30/G	Info
GSXR 750 (96-99)	356 (+6/-6)	Ø10/30/A	Ø10/30/--	Info
GSXR 750 (00-03)	325 (+6/-0)	Ø10/30/A	Ø10/30/G	Info
GSXR 750 (04-05)	332.5 (+6/-0)	Ø10/30/A	Ø10/30/G	Info
GSXR 1000 (01-02)	329.5 (+5.5/-0.5)	Ø oben	Øunten	Info
GSXR 1000 (03-04)	332.5 (+6/-0)	Ø oben	Øunten	Info
GSXR 1000 (05-06)	319/331	Ø10/30/A	Ø10/30/G	Info

GSXR 1000 (07-08)	320	Ø 10/30/A	Ø10/30/G	Info
GSXR 1100 (86-88)	315	Ø oben	Øunten	Info
GSXR 1100 (89-92)	312	Ø10/---/A	Ø10/30/G	UML,BEXT
GSXR 1100 (93-98)	312	Ø10/---/A	Ø10/30/G	UML,BEXT
GSXR 1300 Hayabusa (99-06)	330	Ø oben	Øunten	Info
TRIUMPH	---	---	---	---
Sprint ST 1050 (05-10)	350	Ø--/--/A	Ø--/3--/A	UML,BDIR
YAMAHA	---	---	---	---
YZF 600 4TV (96-03)	360 (+12/-0)	Ø12/40/A	Ø12/30/G	---
YZF R6 RJ03 (98-02)	310	Ø10/30/A	Ø 12/30/A	---
YZF R6 RJ05/09 (03-04)	300 (+0/-6)	Ø10/30/A	Ø10/25/A	---
YZF R6 RJ11 (05-07)	295	Ø10/30/A	Ø10/25/A	---
YZF R6 (08-10)	295	Ø10/30/A	Ø12/30/G	---
YZF R6 (10-14)	295	Ø10/30/A	Ø12/30/G	---
FZR 750 (87-88)	300.5	---	---	---
FZR 750R OW01 (89-91)	360	Ø10/30/A	Ø12/30/G	---
YZF 750 4HN (93-96)	345	Ø10/30/A	Ø12/30/G	---
TRX 850 (95-99)	355	Ø 10/30/A	Ø12/30/G	UML,BEXT
FZR 1000 (87-88)	300.5	Ø 10/46/A	Ø 12/30/G	---
FZR 1000 3LE (89-95)	340	Ø10/46/A	Ø12/30/G	UML,BEXT
YZF 1000 4VD (96-00)	340 (+12/-0)	Ø10/30/A	Ø12/30/G	UML,BEXT
YZF R1 RN01 (98-99)	300 (+11/-1)	Ø10/30/A	Ø10/25/A	UML,BDIR
YZF R1 RN04 (00-01)	300 (+11/-1)	Ø10/30/A	Ø10/25/A	UML,BDIR
YZF R1 RN09(02-03)	300 (+5.5/-0.5)	Ø10/30/A	Ø10/25/A	UML,BDIR
YZF R1 RN12(04-06)	300	Ø10/30/A	Ø10/25/A	UML,BDIR